

➤ 1、型号编制说明

QKC-SDHRQ- $\frac{\square}{2}$ - $\frac{\square}{3}$ - $\frac{\square}{4}$ $\frac{\square}{5}$

1 2 3 4 5

1 QKC-SDHRQ ——

- GS -

QKC-SDHRQ-GS-		C -320 5		C -260 5		C -200 5		C -150 5		C -100 5		C -065 5	
kW		1040	1660	845	1350	650	1040	487	780	325	520	210	338
		12~7.5	23~29.5	12~7.5	23~29.5	12~7.5	23~29.5	12~7.5	23~29.5	12~7.5	23~29.5	12~7.5	23~29.5
	t/h	200	220	160	180	124	138	93	103	62	70	40	45
	kPa	50	65	50	65	50	65	50	65	50	65	50	65
	mm	200	200	200	200	150	150	125	125	125	125	100	100
		5~9.5	33.5~27	5~9.5	33.5~27	5~9.5	33.5~27	5~9.5	33.5~27	5~9.5	33.5~27	5~9.5	33.5~27
	t/h	200	220	160	180	124	138	93	103	62	70	40	45
	kPa	50	65	50	65	50	65	50	65	50	65	50	65
	mm	200	200	200	200	150	150	125	125	125	125	100	100
mm		5800		5200		4800		4500		4000		3900	
mm		1090		980		870		680		600		420	
mm		2700		2600		2650		2600		2100		2050	
		12.5		10.5		8.5		6.1		4.4		3.1	
		23.9		19.6		15.6		11.6		8.2		6.0	

- GS -

